

BIO JET 7[®]

Plus

BIO JET 7 Plus is a biological aid designed to accelerate the degradation of FOG (fats, oils and grease), fatty acids, lignin and other organics in residential, commercial, municipal and industrial applications:


- Septic tanks and residential wastewater systems
- Commercial wastewater systems
- Municipal and industrial wastewater systems
- Wastewater collection systems and holding tanks
- Lagoons and ponds
- Pump/Lift stations
- Sand filters/Mounds
- Grease traps

BIO JET 7 products are manufactured in the United States.

BIO JET 7 Plus:

- Is non-hazardous and non-toxic
- Prevents odors and system failures
- Digests FOG, fatty acids, lignin and other organics
- Lowers BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), ammonia and nitrates
- Aids in rapid start-ups
- Provides quicker recovery from shock loading
- Improves system operation
- Minimizes sewage backups and blockages
- Shelf Life: 2-3 years



A natural organic 

12 strain solution of non-toxic bacteria designed to enhance biological activity in wastewater treatment systems.

Residential/Commercial/Municipal/Industrial System Suggested Dosage Rates:

System	Size	Dosage
Slow Drain	Drain Line	2 oz on Day 1 then 6 oz on Day 2
Preventative Maintenance	Drain Line	2 oz twice per week per drain line
Lift Stations / Wet Wells / Wastewater Plants - Preventative Maintenance	1,500 - 25,000 GPD	4 - 10 oz per day
	50,000 GPD	13 oz per day
	100,000 GPD	25 oz per day
	300,000 GPD	38 oz per day
	500,000 GPD	50 oz per day

*Additional dosage guidelines can be found on the product label.

Note: BIO JET 7 application rates may vary based on system design, constituents present in effluent waters, loading rates and system retention time.

Available in 1 gallon jugs, cases containing 4 - 1 gallon jugs and 55 gallon drums



750 Alpha Drive Cleveland, Ohio 44143 • www.jetincorp.com • 800.321.6960

BIO JET 7 is a registered trademark of Jet Inc.

QA-SAL-197

REV 01/17/20